




Denthing of postings.

SHIP

PAROE BUTOLE


South East Corner Fifth and Biddle Streets Streets

MISSOURI BOTANICAL GARDEN
GEORGE ENGELMANN PAPERS



Tony in Sitgreaver Rep. 1853 p. 173 Spering I Carge true, back 4 inches Thich, western part of Mes Might with I purchyphore I somidentalis? Hook Emz 3 seeder benz Torri- W2'ff, ap. 142 (1857) Juni, Bigelow [= meximum? In obluse leaves stouten branklets 2. True 30 fall smooth back Yampai Grak a Citte Colorad. Tingle very this shelled seeds I tetragona var ostensperma Tom in Whipp Rep. 141 1857
caste out of the Colombo Bigde is the same fide Tom. On June River New? In Soft our the Journal of Single seed I ovoidutale Heathering to Juni Bigles 18tip Ry. 142





copyright reserved cm






508 Leffingwell Avenue,





MISSOURI BOTANICAL GARDEN


G. F. ENGLEMAN, M.D. 3003 LOCUST STRI


0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved













Merchan pleiosperma

S

WILLIAM B

GEORGE T.

JOHN TORA

LEWIS M. R

COMMITTEE OF THE TRUSTED

DN THE

SOHOOL OH MINES.

SSOCIATE MEMBERS.

TORREY, M. D.,

UTHERFURD

P. BARNA

D.... Columbia College.

.... 175 Second Avenue.

. Columbia College.

STRONG ..


..... 113 East 21st Street.

.... 122 East 30th Street.

RESIDENCES.

NAMES.

BETTS, LL. D., CHAIRMAN.



MI GEORGE ENGELMANN PAPERS

TRUSTEES OF COLUMBIA COLLEGE.

RESIDENCES. ROBERT RAY.....GOUVERNEUR M. OGDEN, TREASURER HAMILTON FISH, LL. D., CHAIRMAN WILLIAM BETTTS, LL. D., CLERK GARDINER SPRING, S. T. D., SAMUEL B. RUGGLES, LL. D BENJAMIN I. HAIGHT, S. T. HENRY J. ANDERSON, M.






Linnaea XII. 494 (1838) Manifer Mexivan Schick Sim V. 77 (1830) leaves tornete Jolin Lighton Perote a minme bel monte 1-2 seeds Mexicon Schlicht! large tree opposite Cartonides

(minimal for the season of the seaso fris smill, globose Minne Il monte 1-4 Lin Niam (3). (4") nutant The Caenformin frostersperme seens way similar to J. Mexison, but has only I seed. while Lepschyplloen simen to tetry Of this hay mell globase fil






ORGE ENGELMANN PAPERS


RESIDENCE. W. Cor. Garrison














508 Leffingwell Avenue,




ISSOURI BOTANICAL GARDEN
BORGE ENGELMANN PAPERS

G. F. ENGLEMAN, M.D.

3003 LOCUST STREET.














PAPERS

GARDEN








Then the line in t

SA TO BANGE

MANOHIE OAK

SEORGE ENGELMANN PAPERS










Cor 4th & Olive Sts. St. Louis.

GEORGE ENGELMANN PAPERS



Juniper Mexitaire a Schleichtendal & Chewister i Plant. Depp. Mexit. Linner V. 77 (1830) folis termis ortes armiretis arutis - rono go sebranians eglanderis – galbelis overider-globores, squamarun apiriling hinr inde kilesse prominules, axic.5 lin logis. Perite Juipen, Meximum Johiede" i Meximille Conference of Sollecht 121 Acut del Monte C. Chrenberg High pyrmerde true (8000 10000 act) berry 'h inh - lewer 1/2-75 lands offen 2-ravinite ("bishrate"!) I floorist fruit silven, lears ante spilvisont - in pairs 1. telingon fi globose smill lesser veg stetuse





yphoid Fever.

th ecause it generally comes on with or nmer or the early part of autumn disease than Typhus fever is. which result in malignant or absolutely forms some which by a feeling of often appears of fever than of continued The term Typhoid indifever; common but febrile stupor Typhus fever in Typhoid on the IS:

privies while to have Typhoid fever. hysicians ction into the circulation of a subtle lings or uantities ways Typhoid fever is the resul arises of the atmosphere induced Usually r from the poison of cel and the like, or from m disease lasting according from from decaying vegetable may be getting there is a period ten to twenty uncleanly from miasays. or of

The premonitory symptoms of the disease, according to Dr. Edward Johnson, may be thus enumerated: "The patient is pale, languid, easily fatigued, incapable of sustained attention, depressed in spirits and sometimes harassed by the fear of some approaching calamity. He looks ill his appetite disappears, his tongue is

he had been paralyzed. This sort of condition runs a week or more; then comes on the more unmistakable indications of Typhoid phenomena

have cated, ment, ment have any powerful medicines, to me, all the exhibitions whereby stupor case where the patient cause of the stupid which As the medical observer delirium; treated. crowd by. not show I have been disease is characterized as Typhoid be-Under been lacking in having themselves under themselves and as able to prevent long-continthe condition before after I have Psycho-hygienic many of the symptoms upon the getting to me taken the originally brought of the patient, never yet medicinal treatfirst week has cases which can be indiattention of lost treat.

them ding, hundred pounds, cases of patients brought to me on beds, century, them recovered. Nearly twenty During one year of my practice I had eighteen a large, were from a distinguished inviting හ having distance now an delirious stupidly lived heavy years me old A little while ago I received a as of to delirious, man, helpless ago h man, attend his Typhoid fever. man in central weighing was brought to me the treatment ad. Emiles. his as though he wife up to half yet every one of in good health. golden over Many some of

0 1 2 3 4 5 6 7 8 9 10 cm copyright reserved

those who know

some

much is readily learned.

each characteristic

appeared,

the

Botany,

learr

technical term describing it

Then on a slip of paper,

be

each pupi

such as f

its features,

new leaf with

surface, edge,

and

column;

veining etc., marked so they have gone

whole

-the

plant-

nating,

column, these terms and each day b

LIFE AN

large if such one should stand away from close to it. they are light and nd than

lady

gentleman and

the nice

in

and both skilled

tients

general

the

in

as

well

science

of Botany when leafa

in the science

spring.

the

a rare opportunity for receiving

members of

younger

THE

had

Botany.

These patient head from to toe-tips should be that the circulation which is the handianything which can sub ere, and the feet kept warm body thor be dried the pa et bandages, sheets, wet cloths and The the first treatment of cleansing the boay skin by ablutions. dry ones. dripping wet kets so y form up in n hips with

after dinner, meeting it out of door the piazzas if the weather favored

Youman's text book for beginners.

grown persons have found pleasure i

charming

ದ

and

ing

To those

in as leisure permitted.

most there is always gained, and by thos


the weather favored


held a class, each


kindly

not wet adia-rubber blanket can be patient should lie of head to bottoms of feet, wrapped up. the packing. to be taken on et as it can be and not v lies. That the bed may into 080 person with vigorously tient should minutes; vering, ing the afresh.


6 copyright reserved cm

































A POTHERS,

RE ROE ENGELMANN PAPERS





